INDEX TO AUTHORS.

A

Adair, Gilbert S. See STODDARD and ADAIR, 437

Albrecht, P. Gerhard. Chemical study of several marine mollusks of the Pacific coast. The liver, 789

Anderson, R. J. Concerning the anthocyans in Norton and Concord grapes. A contribution to the chemistry of grape pigments, 795

B

Barr, David P. See HIMWICH and BARR, 363

Bellis, B. See HESS, SUPPLEE, and BELLIS, 725

Berglund, Hilding. See LOONEY, BERGLUND, and GRAVES, 515

Best, C. H., and **Scott, D. A.** The preparation of insulin, 709

Blatherwick, N. R., and **Long, M. Louisa.** Studies of urinary acidity. II. The increased acidity produced by eating prunes and cranberries, 815

Booher, Lela E. See MYERS, SCHMITZ, and BOOHER, 209

Borsook, Henry. See HUNTER and BORSOOK, 507

Bradley, H. C. See SEVRINGHAUS, KOEHLER, and BRADLEY, 163

Briggs, A. P. A study of the inorganic elements of blood plasma, 351

Brown, Elmer E., and **Johnson, Treat B.** The analysis of tuberculinic acid, 199

C

Cajori, F. A., Crouter, C. Y., and **Pemberton, Ralph.** The effect of therapeutic application of external heat on the acid-base equilibrium of the body, 217

Christman, A. A., and **Lewis, Howard B.** Biochemical studies on allantoin. I. The influence of amino-acids on the excretion of allantoin by the rabbit, 379

Collip, J. B. Glucokinin. Second paper, 65

Conant, James B. An electrochemical study of hemoglobin, 401

Crouter, C. Y. See CAJORI, CROUTER, and PEMBERTON, 217

Cullen, Glenn E., and **Jonas, Leon.** The effect of insulin treatment on the hydrogen ion concentration and alkali reserve of the blood in diabetic acidosis, 541

—, and **Robinson, Howard W.** The normal variations in plasma hydrogen ion concentration, 533

Cullen, Glenn E. See GRAM and CULLEN, 477

D

Denis, W., and **von Meysenbug, L.** Alkalosis versus abnormal sodium ion concentration as a cause of tetany, 47

F

Fairhall, Lawrence T. Lead studies. VIII. The microchemical detection of lead, 455

Felty, A. R., and **Murray, H. A., Jr.** Observations on dogs with experimental pyloric obstruction. The acid-base equilibrium, chlorides, nonprotein nitrogen, and urea of the blood, 573

Ferry, R. M. Studies in the chemistry of hemoglobin. I. The preparation of hemoglobin, 819

Findlay, D. M. See MOLONEY and FINDLAY, 359

Friend, Herman. A quantitative color reaction given by adrenalin and urine, 497

Fulmer, Ellis I., Nelson, V. E., and **White, Anne.** The growth of yeast on a medium of wholly synthetic origin, 397

—. See NELSON, HELLER, and FULMER, 415

Funk, Casimir, Harrow, Benjamin, and **Paton, Julia B.** Extraction of vitamins from yeast and rice polishings with various water-miscible solvents, 153

G

Gaebler, Oliver Henry. See HARDING and GAEBLER, 25

Gamble, J. L., Ross, G. S., and **Tisdall, F. F.** The metabolism of fixed base during fasting, 633

Goddard, Julia. See DENIS and VON MEYSENBUG, 47

Gram, H. C., and **Cullen, Glenn E.** The accuracy of the "ionometric" method and of the protein correction in measuring serum conductivity, 477

Graves, Roger C. See LOONEY, BERGLUND, and GRAVES, 515

Griffith, Wendell H., and **Lewis, Howard B.** Studies in the synthesis of hippuric acid in the animal organism. V. The influence of amino-acids and related substances on the synthesis and rate of elimination of hippuric acid after the administration of benzoate, 1

—, and —. VI. The influence of the protein of the diet on the synthesis and rate of elimination of hippuric acid after the administration of benzoates, 697

H

Hammett, Frederick S. Studies of the thyroid apparatus. XVII. The effect of thyroparathyroidectomy and parathyroidectomy at 100 days of age on the Ca, Mg, and P content of the ash of the

humerus and femur of male and female albino rats, 285

Harding, Victor John, and **Gaebler, Oliver Henry.** The influence of the positive nitrogen balance upon creatinuria during growth, 25

Harrow, Benjamin. See FUNK, HARROW, and PATON, 153

Haskins, Howard D. A new permanent standard for Sahli's hemoglobinometer, 111

—. See OSGOOD and HASKINS, 107

Hawkins, James A. A micro method for the determination of the hydrogen ion concentration of whole blood, 493

Heller, V. G. See NELSON, HELLER, and FULMER, 415

Henley, R. R. Changes in the proteins and the gelatification of formalized blood serum, 139

Hess, Alfred F., Supplee, G. C., and **Bellis, B.** Copper as a constituent in woman's and cow's milk. Its absorption and excretion by the infant, 725

—, **Weinstock, M.,** and **Tolstoi, E.** The influence of the diet during the preexperimental period on the susceptibility of rats to rickets, 731

Himwich, Harold E., and **Barr, David P.** Studies in the physiology of muscular exercise. V. Oxygen relationships in the arterial blood, 363

Howe, Paul E. The determination of fibrinogen by precipitation with sodium sulfate compared with the precipitation of fibrin by the addition of calcium chloride, 235

—. The relative precipitating capacity of certain salts when applied to blood serum or plasma and the influence of the cation in the precipitation of proteins, 241

Hubbard, Roger S., and **Wright, Floyd R.** Diet and the border-line of acetonuria, 115

Hunter, Andrew, and **Borsook, Henry.** Nitrogen distribution in globin, 507

J

Jackson, Henry, Jr. Studies in nuclein metabolism. I. Adenine nucleotide in human blood, 121

Jacobs, Walter A. Strophanthin. II. The oxidation of strophanthidin, 553

—. III. Crystalline Kombe strophanthin — preliminary note, 569

Jendrassik, Aladár. A color test for water-soluble B, 129

Johnson, Treat B. See BROWN and JOHNSON, 199

Jonas, Leon. See CULLEN and JONAS, 541

K

Koehler, A. E. See SEVRINGHAUS, KOEHLER, and BRADLEY, 163

Kramer, Benjamin. See PINCUS and KRAMER, 463

L

La Mer, Victor K., and **Parsons, T. R.** The application of the quinhydrone electrode to electrometric acid-base titrations in the presence of air, and the factors limiting its use in alkaline solution, 613

Levene, P. A. On epichitosamine pentacetate, 323

—. Preparation of α-mannose, 329

—. The two isomeric chondrosamine hydrochlorides and the rates of their mutarotation, 337

—, and **Meyer, G. M.** On monoacetone benzylidene glucose, 319

—, and —. On the preparation of diacetone glucose, 317

—, and **Muhlfeld, Marie.** On the identity or non-identity of antineuritic and water-soluble B vitamins, 341

Lewis, Howard B. See CHRISTMAN and LEWIS, 379

—. See GRIFFITH and LEWIS, 1, 697

Livshis, Laura. See WITZEMANN and LIVSHIS, 425

Long, M. Louisa. See BLATHERWICK and LONG, 815

Looney, Joseph M., Berglund, Hilding, and **Graves, Roger C.** A study of several cases of cystinuria, 515

M

MacLeod, Grace. See ROSE and MACLEOD, 305

Mason, Edward H. See RICHARDSON and MASON, 587

Meyer, G. M. See LEVENE and MEYER, 317, 319

Moloney, P. J., and **Findlay, D. M.** Concentration of insulin by adsorption on benzoic acid, 359

Moulton, C. R. Age and chemical development in mammals, 79

Muhlfeld, Marie. See LEVENE and MUHLFELD, 341

Murray, H. A., Jr. See FELTY and MURRAY, 573

Myers, Victor C., Schmitz, Herbert W., and **Booher, Lela E.** A microcolorimetric method of estimating the hydrogen ion concentration of the blood, 209

N

Nelson, V. E., Heller, V. G., and **Fulmer, E. I.** Studies on yeast. VII. The dietary properties of yeast, 415

—. See FULMER, NELSON, and WHITE, 397

Neuhausen, B. S., and **Pincus, J. B.** A study of the condition of several inorganic constituents of serum by means of ultrafiltration, 99

O

Osgood, Edwin E., and **Haskins, Howard D.** A new permanent standard for estimation of hemoglobin by the acid hematin method, 107

P

Page, Irvine H. Asteriasterol—a new sterol from the starfish and the sterols of certain other marine echinoderms, 471

Parsons, T. R. See La Mer and Parsons, 613

Paton, Julia B. See Funk, Harrow, and Paton, 153

Pemberton, Ralph. See Cajori, Crouter, and Pemberton, 217

Pincus, J. B., and **Kramer, Benjamin.** A comparative study of the concentration of various anions and cations in cerebrospinal fluid and serum, 463

—. See Neuhausen and Pincus, 99

R

Richardson, Henry B., and **Mason, Edward H.** Clinical calorimetry. XXXIII. The effect of fasting in diabetes as compared with a diet designed to replace the foodstuffs oxidized during a fast, 587

Robinson, Howard W. See Cullen and Robinson, 533

Ronzoni, Ethel. Ether anesthesia. II. Anesthetic concentration of ether for dogs, 761

—. See Shaffer and Ronzoni, 741

Rose, Mary Swartz, and **MacLeod, Grace.** Experiments on the utilization of the calcium of almonds by man, 305

Ross, G. S. See Gamble, Ross, and Tisdall, 633

S

Schmitz, Herbert W. See Myers, Schmitz, and Booher, 209

Scott, D. A. See Best and Scott, 709

Sevringhaus, Elmer L. Postmortem acidity. I. The acids formed in autolyzing liver, 181

—. II. Phosphoric acid liberation in liver autolysis, 191

—, **Koehler, A. E.,** and **Bradley, H. C.** Studies of autolysis. IX. Hydrogen ion concentration in autolysis, 163

Shaffer, Philip A., and **Ronzoni, Ethel.** Ether anesthesia. I. The determination of ethyl ether in air and in blood, and its distribution ratio between blood and air, 741

Sjollema, B. Studies in inorganic metabolism. I. The influence of cod liver oil upon calcium and phosphorus metabolism, 255

—. II. The influence of crude fiber and of protein upon calcium and phosphorus metabolism, 271

Soderstrom, G. F. See Richardson and Mason, 587

Stoddard, James L., and **Adair, Gilbert S.** The refractometric determination of hemoglobin, 437

Supplee, G. C. See Hess, Supplee, and Bellis, 725

T

Tisdall, F. F. See GAMBLE, ROSS, and TISDALL, 633

Tolstoi, E. See HESS, WEINSTOCK, and TOLSTOI, 731

V

von Meysenbug, L. See DENIS and VON MEYSENBUG, 47

W

Weinstock, M. See HESS, WEINSTOCK, and TOLSTOI, 731

White, Anne. See FULMER, NELSON, and WHITE, 397

Witzemann, E. J., and **Livshis, Laura.** The action of proteolytic enzymes upon insulin, 425

Wright, Floyd R. See HUBBARD and WRIGHT, 115

INDEX TO SUBJECTS.

A

Absorption:
Copper by the infant (Hess, Supplee, and Bellis) 725

Acetonuria:
Border-line of, and diet (Hubbard and Wright) 115

Acid-base:
Equilibrium, blood (Felty and Murray) 573
— of the body, effect of therapeutic application of external heat on (Cajori, Crouter, and Pemberton) 217
Titrations, electrometric, application of the quinhydrone electrode to, in presence of air (La Mer and Parsons) 613

Acid hematin:
Method, estimation of hemoglobin by, new permanent standard for (Osgood and Haskins) 107

Acidity:
Postmortem (Sevringhaus) 181, 191
Urinary, studies (Blatherwick and Long) 815

Acidosis:
Diabetic, hydrogen ion concentration and alkali reserve of blood in, effect of insulin treatment on (Cullen and Jonas) 541

Acids:
Liver, autolyzing, acids formed in (Sevringhaus) 181

Adenine nucleotide:
Blood, human (Jackson) 121

Adrenalin:
Color reaction, quantitative, given by (Friend) 497

Age:
Chemical development and, in mammals (Moulton) 79

Air:
Ethyl ether, determination in (Shaffer and Ronzoni) 741
— —, distribution ratio of, between blood and (Shaffer and Ronzoni) 741
Quinhydrone electrode, application of, to electrometric acid-base titrations in the presence (La Mer and Parsons) 613

Alkali reserve:
Blood in diabetic acidosis, effect of insulin treatment on (CULLEN and JONAS) 541
Alkalosis:
Sodium ion concentration, abnormal, versus alkalosis, as a cause of tetany (DENIS and VON MEYSENBUG) 47
Allantoin:
Biochemical studies (CHRISTMAN and LEWIS) 379
Excretion by the rabbit, influence of amino-acids on (CHRISTMAN and LEWIS) 379
Almonds:
Calcium, ultilization by man (ROSE and MACLEOD) 305
Amino-acids:
Influence on excretion of allantoin by rabbit (CHRISTMAN and LEWIS) 379
Synthesis and rate of elimination of hippuric acid after administration of benzoate, influence on (GRIFFITH and LEWIS) 1
Ammonia:
Process, preparation of α-mannose by (LEVENE) 333
Anesthesia:
Concentration of ether for dogs (RONZONI) 761
Ether (RONZONI) 761
— (SHAFFER and RONZONI) 741
Anions:
Concentration in cerebrospinal fluid and serum (PINCUS and KRAMER) 463
Anthocyans:
Norton and Concord grapes, anthocyans in (ANDERSON) 795
Ash:
Humerus and femur of male and female albino rats, effect of thyroparathyroidectomy and parathyroidectomy on the Ca, Mg, and P content (HAMMETT) 285
Asteriasterol:
Sterol, new, from the starfish (PAGE) 471
Autolysis:
Hydrogen ion concentration in (SEVRINGHAUS, KOEHLER, and BRADLEY) 163
Liver, acids formed in (SEVRINGHAUS) 181
—, phosphoric acid liberation in (SEVRINGHAUS) 191
Studies (SEVRINGHAUS, KOEHLER, and BRADLEY) 163

B

Base:
Fixed, metabolism, during fasting (GAMBLE, ROSS, and TISDALL) 633
Benzoate(s):
Administration, influence of amino-acids and related substances on the synthesis and rate of elimi-

Benzoate(s)—*continued:*
nation of hippuric acid after (GRIFFITH and LEWIS) 1
—, — —protein of diet on synthesis and rate of elimination of hippuric acid after (GRIFFITH and LEWIS) 697
Benzoic acid:
Insulin concentration by adsorption (MOLONEY and FINDLAY) 359
Blood:
Acid-base equilibrium, chlorides, non-protein nitrogen, and urea of blood (FELTY and MURRAY) 573
Arterial, oxygen relationships in (HIMWICH and BARR) 363
Diabetic acidosis, effect of insulin treatment on the hydrogen ion concentration and alkali reserve of (CULLEN and JONAS) 541
Ethyl ether, determination in (SHAFFER and RONZONI) 741
— —, distribution ratio of, between blood and air (SHAFFER and RONZONI) 741
Human, adenine nucleotide in (JACKSON) 121
Hydrogen ion concentration of, microcolorimetric method of estimating (MYERS, SCHMITZ, and BOOHER) 209
Plasma, inorganic elements (BRIGGS) 351
Blood—*continued:*
Plasma, relative precipitating capacity of salts when applied to (HOWE) 241
Serum, formalized, changes in the proteins and gelatification of (HENLEY) 139
—, relative precipitating capacity of salts when applied to (HOWE) 241
Whole, hydrogen ion concentration, micro method for determination (HAWKINS) 493
Body:
Acid-base equilibrium of, effect of therapeutic application of external heat on (CAJORI, CROUTER, and PEMBERTON) 217

C

Calcium:
Almonds, ultilization by man (ROSE and MACLEOD) 305
Content, effect of thyroparathyroidectomy and parathyroidectomy on the ash of the humerus and femur of male and female albino rats (HAMMETT) 285
Metabolism, influence of cod liver oil on (SJOLLEMA) 255
—, — — crude fiber and of protein on (SJOLLEMA) 271
Calcium chloride:
Fibrin precipitation by the addition, compared with

Calcium chloride—*continued:*
determination of fibrinogen by precipitation with sodium sulfate (Howe) 235
Calorimetry:
Clinical (Richardson and Mason) 587
Cation(s):
Concentration in cerebrospinal fluid and serum (Pincus and Kramer) 463
Influence in precipitation of proteins (Howe) 241
Cerebrospinal fluid:
Concentration of anions and cations in (Pincus and Kramer) 463
Cerebrospinal serum:
Concentration of anions and cations in (Pincus and Kramer) 463
Chemical development:
Age and, in mammals (Moulton) 79
Chlorides:
Blood (Felty and Murray) 573
Chondrosamine hydrochloride(s):
Isomeric, mutarotation rates (Levene) 337
Purification (Levene) 338
α-Chondrosamine hydrochloride:
Preparation (Levene) 339
Cod liver oil:
Calcium and phosphorus metabolism, influence on (Sjollema) 255
Conductivity:
Serum, accuracy of ionometric method and protein correction in measuring (Gram and Cullen) 477
Copper:
Absorption and excretion by the infant (Hess, Supplee, and Bellis) 725
Constituent in woman's and cow's milk (Hess, Supplee, and Bellis) 725
Creatinuria:
Influence of positive nitrogen balance on, during growth (Harding and Gaebler) 25
Cystinuria:
Study of several cases (Looney, Berglund, and Graves) 515

D

Diabetes:
Effect of fasting in, as compared with a diet designed to replace the foodstuffs oxidized during a fast (Richardson and Mason) 587
Diabetic acidosis:
Hydrogen ion concentration and alkali reserve of blood in, effect of insulin treatment on (Cullen and Jonas) 541
Diacetone glucose:
Preparation (Levene and Meyer) 317

E

Echinoderms:
Marine, sterols (Page) 471

Electrode:
Quinhydrone, application to electrometric acid-base titrations in presence of air (La Mer and Parsons) 613
—, factors limiting its use in alkaline solution (La Mer and Parsons) 613
Enzymes:
Proteolytic, action on insulin (Witzemann and Livshis) 425
Epichitosamine pentacetate:
Preparation (Levene) 323
Ether:
Anesthesia (Ronzoni) 761
— (Shaffer and Ronzoni) 741
Anesthetic concentration, for dogs (Ronzoni) 761
Ethyl ether:
Determination in air and in blood (Shaffer and Ronzoni) 741
Distribution ratio between blood and air (Shaffer and Ronzoni) 741
Exercise:
Muscular, physiology (Himwich and Barr) 363

F

Fasting:
Effect in diabetes as compared with a diet designed to replace the foodstuffs oxidized during a fast (Richardson and Mason) 587
Metabolism of fixed base during (Gamble, Ross, and Tisdall) 633
Femur:
Ca, Mg, and P content of ash, in male and female albino rats, effect of thyroparathyroidectomy and parathyroidectomy (Hammett) 285
Fiber:
Calcium and phosphorus metabolism, influence of crude fiber on (Sjollema) 271
Fibrin:
Precipitation by the addition of calcium chloride, compared with determination of fibrinogen by precipitation with sodium sulfate (Howe) 235
Fibrinogen:
Determination by precipitation with sodium sulfate compared with precipitation of fibrin by the addition of calcium chloride (Howe) 235
Foodstuffs:
Oxidized during a fast in diabetes, diet designed to replace (Richardson and Mason) 587

G

β-Galactose:
Preparation (Levene) 336
Gelatification:
Blood serum, formalized (Henley) 139
Glacial acetic acid:
Process, preparation of α-mannose by (Levene) 333

Globin:
Nitrogen distribution in (HUNTER and BORSOOK) 507
Glucokinin:
(COLLIP) 65
β-Glucose:
Preparation (LEVENE) 336
Grapes:
Norton and Concord, anthocyans in (ANDERSON) 795
Growth:
Creatinuria during, influence of positive nitrogen balance on (HARDING and GAEBLER) 25
Yeast on a medium of wholly synthetic origin (FULMER, NELSON, and WHITE) 397

H

Hematin:
Experiments with (CONANT) 412
Hemoglobin:
Chemistry, studies in (FERRY) 819
Electrochemical study (CONANT) 401
Estimation by the acid hematin method, new permanent standard for (OSGOOD and HASKINS) 107
Preparation (FERRY) 819
Refractometric determination (STODDARD and ADAIR) 437
Hemoglobin-methemoglobin:
Potential (CONANT) 402
Hemoglobinometer:
Sahli's, new permanent standard for (HASKINS) 111
Hippuric acid:
Synthesis in animal organism (GRIFFITH and LEWIS) 1, 697
— and rate of elimination, after administration of benzoate, influence of amino-acids and related substances on (GRIFFITH and LEWIS) 1
— — — of elimination, influence of protein of diet on, after administration of benzoates (GRIFFITH and LEWIS) 697
Humerus:
Ca, Mg, and P content of ash, in male and female albino rats, effect of thyroparathyroidectomy and parathyroidectomy (HAMMETT) 285
Hydrogen ion:
Concentration in autolysis (SEVRINGHAUS, KOEHLER, and BRADLEY) 163
— of blood in diabetic acidosis, effect of insulin treatment on (CULLEN and JONAS) 541
— — —, microcolorimetric method of estimating (MYERS, SCHMITZ, and BOOHER) 209
— — whole blood, micro method for determination (HAWKINS) 493

Hydrogen ion—*continued:*
Concentration, plasma, normal variations in (CULLEN and ROBINSON) 533

I

Inorganic constituents:
Serum, study by means of ultrafiltration (NEUHAUSEN and PINCUS) 99

Insulin:
Concentration by absorption on benzoic acid (MOLONEY and FINDLAY) 359
Preparation (BEST and SCOTT) 709
Proteolytic enzymes, action of, on (WITZEMANN and LIVSHIS) 425
Treatment, effect on hydrogen ion concentration and alkali reserve of blood in diabetic acidosis (CULLEN and JONAS) 541

Ionometric:
Method, accuracy in measuring serum conductivity (GRAM and CULLEN) 477

L

Lead:
Microchemical detection (FAIRHALL) 455
Studies (FAIRHALL) 455

Liver:
Autolysis, phosphoric acid liberation in (SEVRINGHAUS) 191
Marine mollusks of the Pacific coast, chemical study (ALBRECHT) 789

M

Magnesium:
Content, effect of thyroparathyroidectomy and parathyroidectomy on the ash of the humerus and femur of male and female albino rats (HAMMETT) 285

α-Mannose:
Preparation (LEVENE) 329
— by the ammonia process (LEVENE) 333
— — glacial acetic acid process (LEVENE) 333
— — pyridine process (LEVENE) 333
Purification (LEVENE) 334
Solubilities, initial and final, in 80 per cent alcohol (LEVENE) 334

β-Mannose:
Solubilities, initial and final, in 80 per cent alcohol (LEVENE) 334

α- and β-Mannoses:
Mutarotation (LEVENE) 335
Solubility of a mixture (LEVENE) 335

Metabolism:
Base, fixed, during fasting (GAMBLE, ROSS, and TISDALL) 633
Calcium and phosphorus, influence of cod liver oil on (SJOLLEMA) 255
— — —, influence of crude fiber and of protein on (SJOLLEMA) 271

Metabolism—*continued:*
Inorganic, studies (SJOLLEMA) 255, 271
Nuclein, studies (JACKSON) 121
Methyl benzylidene glucose:
Hydrolysis to methyl glucose (LEVENE and MEYER) 320
Methyl glucose:
Methyl benzylidene glucose hydrolyzed to (LEVENE and MEYER) 320
Oxidation (LEVENE and MEYER) 321
Milk:
Copper as a constituent in woman's and cow's (HESS, SUPPLEE, and BELLIS) 725
Mollusks:
Marine, of the Pacific coast, chemical study (ALBRECHT) 789
Monoacetone benzoyl glucose:
Preparation (LEVENE and MEYER) 321
Monoacetone benzylidene glucose:
Preparation (LEVENE and MEYER) 319

N

Nitrogen:
Balance, positive, influence on creatinuria during growth (HARDING and GAEBLER) 25
Distribution in globin (HUNTER and BORSOOK) 507
Non-protein, blood (FELTY and MURRAY) 573
Nuclein:
Metabolism, studies (JACKSON) 121

O

Oxidation:
Strophanthidin (JACOBS) 553
— after saponification (JACOBS) 565
Oxygen:
Relationships in arterial blood (HIMWICH and BARR) 363

P

Parathyroidectomy:
Effect on Ca, Mg, and P content of the ash of the humerus and femur of male and female albino rats (HAMMETT) 285
Phosphoric acid:
Liberation in liver autolysis (SEVRINGHAUS) 191
Phosphorus:
Content, effect of thyroparathyroidectomy and parathyroidectomy on the ash of the humerus and femur of male and female albino rats (HAMMETT) 285
Metabolism, influence of cod liver oil on (SJOLLEMA) 255
—, — — crude fiber and of protein on (SJOLLEMA) 271
Physiology:
Muscular exercise (HIMWICH and BARR) 363
Plasma:
Blood, inorganic elements (BRIGGS) 351
—, relative precipitating capacity of salts when applied to (HOWE) 241

Plasma—*continued:*
Hydrogen ion concentration, normal variations in (CULLEN and ROBINSON) 533
Protein(s):
Blood serum, formalized, changes in the proteins of (HENLEY) 139
Calcium and phosphorus metabolism, influence on (SJOLLEMA) 271
Cation influence in precipitation of (HOWE) 241
Correction, accuracy in measuring serum conductivity (GRAM and CULLEN) 477
Diet, influence on synthesis and rate of elimination of hippuric acid after administration of benzoates (GRIFFITH and LEWIS) 697
Proteolytic:
Enzymes, action on insulin (WITZEMANN and LIVSHIS) 425
Purines:
Decomposition products of tuberculinic acid (BROWN and JOHNSON) 205
Pyloric obstruction:
Experimental (FELTY and MURRAY) 573
Pyridine:
Process, preparation of α-mannose by (LEVENE) 333
Pyrimidines:
Tuberculinic acid (BROWN and JOHNSON) 208

Q

Quinhydrone:
Electrode, application to electrometric acid-base titrations in presence of air (LA MER and PARSONS) 613
—, factors limiting its use in alkaline solution (LA MER and PARSONS) 613

R

Rice:
Polishings, vitamins extracted from, with various water-miscible solvents (FUNK, HARROW, and PATON) 153
Rickets:
Susceptibility of rats to, influence of diet during preexperimental period on (HESS, WEINSTOCK, and TOLSTOI) 731

S

Salts:
Capacity, relative precipitating, when applied to blood serum or plasma (HOWE) 241
Serum:
Blood, formalized, changes in the proteins and gelatification (HENLEY) 139
—, relative precipitating capacity of salts when applied to (HOWE) 241
Conductivity, accuracy of ionometric method and protein correction in measuring (GRAM and CULLEN) 477

Serum—*continued:*
Inorganic constituents, study by means of ultrafiltration (NEUHAUSEN and PINCUS) 99
Sodium ion:
Concentration, abnormal, versus alkalosis as a cause of tetany (DENIS and VON MEYSENBUG) 47
Sodium sulfate:
Fibrinogen determination by precipitation with, compared with precipitation of fibrin by the addition of calcium chloride (HOWE) 235
Starfish:
Asteriasterol, a new sterol from (PAGE) 471
Sterol(s):
Asteriasterol, new sterol from the starfish (PAGE) 471
Marine echinoderms (PAGE) 471
Strophanthidin:
Oxidation (JACOBS) 553
— after saponification (JACOBS) 565
Strophanthin:
(JACOBS) 553, 569
Crystalline Kombe (JACOBS) 569

T

Tetany:
Alkalosis versus abnormal sodium ion concentration as a cause (DENIS and VON MEYSENBUG) 47
Thyroid:
Apparatus, studies (HAMMETT) 285
Thyroparathyroidectomy:
Effect on Ca, Mg, and P content of the ash of the humerus and femur of male and female albino rats (HAMMETT) 285
Tuberculinic acid:
Analysis (BROWN and JOHNSON) 199
Decomposition products (purines) (BROWN and JOHNSON) 205
Purification (BROWN and JOHNSON) 202

U

Ultrafiltration:
Inorganic constituents of serum studied by means (NEUHAUSEN and PINCUS) 99
Urea:
Blood (FELTY and MURRAY) 573
Urine:
Acidity, studies (BLATHERWICK and LONG) 815
Color reaction, quantitative, given by (FRIEND) 497

V

Vitamin(s):
Antineuritic, identity or non-identity (LEVENE and MUHLFELD) 341
Extraction from yeast and rice polishings with various water-miscible solvents (FUNK, HARROW, and PATON) 153

Vitamin B:
(Water-soluble), color test for (JENDRASSIK) 129
—, identity or non-identity (LEVENE and MUHLFELD) 341

W

Water:
-Miscible solvents, extraction of vitamins from yeast and rice polishings with (FUNK, HARROW, and PATON) 153

Y

Yeast:
Dietary properties (NELSON, HELLER, and FULMER) 415
Growth on a medium of wholly synthetic origin (FULMER, NELSON, and WHITE) 397
Studies (NELSON, HELLER, and FULMER) 415
Vitamins extracted from, with various water-miscible solvents (FUNK, HARROW, and PATON) 153